

AKC

Notice of Allowability

Application No.

10/663,775

Applicant(s)

MAEDA ET AL.

Examiner

Tran N. Nguyen

Art Unit

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 9/27/05.
2. ☒ The allowed claim(s) is/are 1,3,5,7 and 9.
3. ☒ The drawings filed on 17 September 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED OFFICE ACTION***Withdrawn Claim Rejections - 35 USC § 112***

During the interview on 9/27/05, Mr. David P. Emery, attorney of record, points out that the embodiment claimed by claim 1 is shown in Fig. 2. Figure 2 shows the magnets formed as trapezoidal shapes 25G that gradually increase in both a width and thickness (i.e. 23 is demarcating the narrowest portion of both the width and thickness of trapezoidal magnets 25 G) toward a base side 19b of the claw magnetic pole. The end of a magnet facing the base 19b is thicker in both a width and a thickness than that portion of the adjacent magnet following the pointer from no. 23. Additionally, support can be found in the specification on page 8, lines 4-9, magnets "gradually increase in thickness toward the base side." And further, page 8, lines 10-12, "face of magnet assembly 25 being in contact with the claw magnetic poles 21, 22 is also trapezoidal plate-shaped extending along the magnetic pole."

The Examiner concurs with the applicant's remark; therefore, *the rejection based on first paragraph of 35 U.S.C. 112 is hereby withdrawn.*

Withdrawn Double Patenting Rejection

The applicant filed terminal disclaimer in compliance with 37 CFR 1.321(c). The terminal disclaimer has been approved; therefore, the double patenting rejection is overcome and hereby withdrawn.

Examiner's Amendment

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicants, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it must be submitted no later than the payment of the Issue Fee.

Art Unit: 2834

Please change the following:

In the claim:

Cancel claims 2, 4, 6, 8, and 10

(These claims are drawn to non-elected invention. See Election/Restriction filed on 7/29/04).

Allowable Subject Matter


Claims 1, 3, 5, 7 and 9 are allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tran N. Nguyen whose telephone number is (571) 272-2030. The examiner can normally be reached on M-F 7:00AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571)-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Tran N. Nguyen

Primary Examiner

Art Unit 2834